

How to Order?

Series No.	O.D. of Tube	Thread Size	Fitting Material	Thread Type
SPU	04: 4mm	M5: M5	S1: SS316	P: PT
SPE	06: 6mm	M6: M6	S2: SS304	G: G
SPV	08: 8mm	01: 1/8"		T: NPT
...	10: 10mm	02: 1/4"		
	12: 12mm	03: 3/8"		
		04: 1/2"		


Order example:


SPC series stainless steel fitting, for 4mm OD tube, PT1/8" port size, SS316 material, ERP code is : SPC04-01S1P


Note: If both sides with tube, then show the size accordingly, if the size is the same, then only show one. For example, SPU fitting, both for 6mm OD tube, SS316 material, ERP code is : SPU 06 S1

Note: If both ends are inserted, the tube OD size is shown side by side, if the size is the same, only one is shown; such as SPU stainless steel fittings, both with 6mm OD tubes, fittings material SS316. Its ERP code is: SPU06S1

Model

SPC	Model	B	ΦC	ΦD	E	F	R, N	L	g	Main Dimension
	SPC04-01	8	09	04	14.7	S10	1/8	21.4	90.5	
	SPC04-02	11	09	04	14.7	S14	1/4	23	20.0	
	SPC06-01	8	11	06	16.4	S12	1/8	21.7	8.5	
	SPC06-02	11	11	06	16.4	S14	1/4	23.2	17.5	
	SPC06-03	11	11	06	16.4	S17	3/8	23.2	26.5	
	SPC06-04	14.5	11	06	16.4	S22	1/2	28.5	57	
	SPC08-01	8	13.7	08	16.8	S14	1/8	26.7	13.5	
	SPC08-02	11	13.7	08	16.8	S14	1/4	24.7	15.5	
	SPC08-03	11	13.7	08	16.8	S17	3/8	24.7	22.5	
	SPC08-04	14.5	13.7	08	16.8	S22	1/2	28.6	55.5	
	SPC10-01	8	15.5	10	18.4	S17	1/8	28.5	25	
	SPC10-02	11	15.5	10	18.4	S17	1/4	29.5	26	
	SPC10-03	11	15.5	10	18.4	S17	3/8	26.1	23	
	SPC10-04	14.5	15.5	10	18.4	S22	1/2	28.5	48.5	
	SPC12-02	11	18.7	12	19.2	S19	1/4	31.5	32	
	SPC12-03	11	18.7	12	19.2	S19	3/8	28	28	
	SPC12-04	14.5	18.7	12	19.2	S22	1/2	28.5	44	
	SPC12-06	14.5	18.7	12	19.2	S27	3/4	29.5	79.5	
	SPC14-02	11	20.6	14	20	S19	1/4	31	37	
	SPC14-03	11	20.6	14	20	S19	3/8	31	40.5	
	SPC14-04	14.5	20.6	14	20	S22	1/2	30.5	43.5	
	SPC14-06	14.5	20.6	14	20	S27	3/4	29.5	6.9	
	SPC14-1"	16	20.6	14	20	S34	1"	31.5	123	
	SPC16-03	11	22.6	16	19.7	S22	3/8	31.9	51	
	SPC16-04	14.5	22.6	16	19.7	S22	1/2	32.4	-	
	SPC16-06	14.5	22.6	16	19.7	S27	3/4	29.5	65	
	SPC16-1"	16	22.6	16	19.7	S34	1"	29.4	12.9	

SPU	Model	ΦC	ΦD	E	L	g	Main Dimension
	SPU04	9	04	14.7	33	13	
	SPU06	11	06	16.4	36	11.5	
	SPU08	13.7	08	16.8	36	20	
	SPU10	15.5	10	18.4	39	27.5	
	SPU12	18.7	12	19.2	40	38.5	
	SPU14	20.6	14	20	40	51	
	SPU16	22.6	16	19.7	41	52.5	

SPV	Model	ΦC	ΦD	E	L	g	Main Dimension
	SPV04	9	04	14.7	17.5	11	
	SPV06	11	06	16.4	21.1	16	
	SPV08	13.7	08	16.8	22	24	
	SPV10	15.5	10	18.4	24.6	34	
	SPV12	18.7	12	19.2	28.8	53.5	
	SPV14	20.6	14	20	27.8	-	
	SPV16	22.6	16	19.7	34.7	-	

SS One Touch Fitting





Model



SPOC	Model	B	ΦC1	ΦC2	D	E	R, N	L	g	Main Dimension
SPOC04-02	11	09	14	04	14.7	1/4	23	/		
SPOC06-01	8	11	12	06	16.4	1/8	21.7	9		
SPOC06-02	11	11	14	06	16.4	1/4	23.2	16		
SPOC06-03	11	11	17	06	16.4	3/8	23.2	24		
SPOC06-04	14.5	11	14	06	16.4	1/2	28.5	53		
SPOC08-01	8	13.7	14	08	16.8	1/8	26.7	11		
SPOC08-02	11	13.7	14	08	16.8	1/4	24.7	14		
SPOC08-03	11	13.7	17	08	16.8	3/8	24.7	20		
SPOC08-04	14.5	13.7	21	08	16.8	1/2	28.6	51		
SPOC10-01	8	15.5	16	10	18.4	1/8	28.4	22		
SPOC10-02	11	15.5	16	10	18.4	1/4	29.5	24		
SPOC10-03	11	15.5	17	10	18.4	3/8	26.1	22		
SPOC10-04	14.5	15.5	21	10	18.4	1/2	28.5	40		
SPOC12-02	11	18.7	19.2	12	19.2	1/4	31.5	38		
SPOC12-03	11	18.7	19.2	12	19.2	3/8	28	25		
SPOC12-04	14.5	18.7	21	12	19.2	1/2	28.5	40		
SPOC14-02	11	20.6	21	14	20	1/4	31	34		
SPOC14-03	11	20.6	21	14	20	3/8	31	39		
SPOC14-04	14.5	20.6	21	14	20	1/2	30.5	41		
SPOC14-06	14.5	20.6	27	14	20	3/4	29.5	63		
SPOC16-03	11	22.6	23	16	19.7	3/8	31.9	/		
SPOC16-04	14.5	22.6	23	16	19.7	1/2	32.4	/		
SPOC16-06	14.5	22.6	27	16	19.7	3/4	29.5	60		
SPOC16-1"	16	22.6	34	16	19.7	1"	29.4	121		



SPB	Model	B	ΦC	ΦD	E	F	R, N	H	L1	L2	g	Main Dimension
SPB 04-02	11	9	04	14.7	S14	1/4	24	17.4	34.8	23		
SPB 06-01	8	11	06	16.4	S12	1/8	21	21.1	42.2	25.5		
SPB 06-02	11	11	06	16.4	S14	1/4	25	21.1	42.2	30		
SPB 06-03	11	11	06	16.4	S17	3/8	25	21.1	42.2	34		
SPB 06-04	14.5	11	06	16.4	S22	1/2	28.5	21.1	42.2	—		
SPB 08-01	8	13.7	08	16.8	S12	1/8	23.9	22	44	33		
SPB 08-02	11	13.7	08	16.8	S14	1/4	27.4	22	44	36		
SPB 08-03	11	13.7	08	16.8	S17	3/8	27.9	22	44	—		
SPB 08-04	14.5	13.7	08	16.8	S22	1/2	31.4	22	44	—		
SPB 10-02	11	15.5	10	18.4	S17	1/4	28.5	24.6	49.2	54		
SPB 10-03	11	15.5	10	18.4	S17	3/8	29	24.6	49.2	—		
SPB 10-04	14.5	15.5	10	18.4	S22	1/2	32.5	24.6	49.2	78.5		
SPB 12-02	11	18.7	12	19.2	S19	1/4	30.5	28.8	57.5	—		
SPB 12-03	11	18.7	12	19.2	S19	3/8	31	28.8	57.6	—		
SPB 12-04	14.5	18.7	12	19.2	S22	1/2	34.5	28.8	57.6	—		
SPB 12-06	14.5	18.7	12	19.2	S27	3/4	36	28.8	57.6	—		
SPB 12-1"	16	18.7	12	19.2	S27	1"	37	28.8	57.6	—		
SPB 14-02	11	20.6	14	20	S19	1/4	30.5	27.8	55.6	—		
SPB 14-03	11	20.6	14	20	S19	3/8	31	27.8	55.6	—		
SPB 14-04	14.5	20.6	14	20	S22	1/2	34.7	27.8	55.6	—		
SPB 14-06	14.5	20.6	14	20	S27	3/4	36	27.8	55.6	—		
SPB 14-1"	16	20.6	14	20	S34	1"	37	27.8	55.6	—		
SPB 16-03	11	22.6	16	19.7	S22	3/8	31.5	34.7	69.4	134		
SPB 16-04	14.5	22.6	16	19.7	S22	1/2	35	34.7	69.4	142		
SPB 16-06	14.5	22.6	16	19.7	S27	3/4	36.5	34.7	69.4	173		
SPB 16-1"	16	22.6	16	19.7	S34	1"	37.5	34.7	69.4	—		

SME	Model	ΦD	F	F1	F2	L	L1	H	g	Main Dimension
SME06	06	S12	S12	S12	52.2	26.1	26.1	/		
SME08	08	S14	S14	S14	55	27.5	27.5	/		
SME10	10	S17	S17	S17	55.6	27.8	27.8	/		
SME12	12	S19	S19	S19	61.8	30.9	30.9	/		
SME14	14	S22	S22	S22	64.7	32.35	32.35	/		
SME16	16	S22	S22	S22	64.2	32.1	32.1	/		

Model

	SPE	Model	ΦC	ΦD	E	L2	L1	L1	g	Main Dimension
		SPE04	9	04	14.7	17.6	17.6	35.2	16.5	
		SPE06	11	06	16.4	20.9	20.9	41.8	23.5	
		SPE08	13.7	08	16.8	22.1	22.1	44.2	28.5	
		SPE10	15.5	10	18.4	24.7	24.7	49.4	48.5	
		SPE12	18.7	12	19.2	27.4	27.4	54.8	72.5	
		SPE14	20.6	14	20	27.5	27.5	55	76.5	
	SPE16	22.6	16	19.7	35	35	70	142.5		

	SPD	Model	B	ΦC	ΦD	E	F	R, N	H	L1	L2	g	Main Dimension
		SPD 04-01	8	9	04	14.7	S12	1/8	20.5	16.9	37.9	19.5	
		SPD 04-02	11	9	04	14.7	S14	1/4	24	16.9	41.4	23	
		SPD 06-01	8	11	06	16.4	S12	1/8	21	21.1	42.1	25.5	
		SPD 06-02	11	11	06	16.4	S14	1/4	24.5	21.1	46.1	30	
		SPD 06-03	11	11	06	16.4	S17	3/8	25	21.1	46.1	34	
		SPD 06-04	14.5	11	06	16.4	S22	1/2	28.5	21.1	49.6	—	
		SPD 08-01	8	13.7	08	16.8	S12	1/8	23.9	22	55.9	33	
		SPD 08-02	11	13.7	08	16.8	S14	1/4	27.4	22	49.4	36	
		SPD 08-03	11	13.7	08	16.8	S17	3/8	27.9	22	49.9	—	
		SPD 08-04	14.5	13.7	08	16.8	S22	1/2	31.4	22	53.4	—	
		SPD 10-02	11	15.5	10	18.4	S17	1/4	28.5	24.6	53.1	54	
		SPD 10-03	11	15.5	10	18.4	S17	3/8	29	24.6	53.6	—	
		SPD 10-04	14.5	15.5	10	18.4	S22	1/2	32.5	24.6	37.1	78.5	
		SPD 12-02	11	18.7	12	19.2	S19	1/4	30.5	28.8	59.3	—	
		SPD 12-03	11	18.7	12	19.2	S19	3/8	31	28.8	59.8	—	
		SPD 12-04	14.5	18.7	12	19.2	S22	1/2	34.5	28.8	63.3	—	
		SPD 12-06	14.5	18.7	12	19.2	S27	3/4	34.5	28.8	64.8	—	
		SPD 12-1"	16	18.7	12	19.2	S27	1"	37	28.8	65.8	—	
		SPD 14-02	11	20.6	14	20	S19	1/4	30.5	27.8	58.3	—	
		SPD 14-03	11	20.6	14	20	S19	3/8	31	27.8	58.8	—	
		SPD 14-04	14.5	20.6	14	20	S22	1/2	34.5	27.8	62.5	—	
		SPD 14-06	14.5	20.6	14	20	S27	3/4	34.5	27.8	63.8	—	
		SPD 14-1"	16	20.6	14	20	S34	1"	37	27.8	64.8	—	
		SPD 16-03	11	22.6	16	19.7	S22	3/8	31.5	34.7	66.2	134	
		SPD 16-04	14.5	22.6	16	19.7	S22	1/2	35	34.7	69.7	142	
		SPD 16-06	14.5	22.6	16	19.7	S27	3/4	35	34.7	71.2	173	
		SPD 16-1"	16	22.6	16	19.7	S34	1"	37.5	34.7	72.2	—	

	SPL	Model	B	ΦC	ΦD	E	F	R, N	L1	L2	g	Main Dimension
		SPL 04-01	8	9	04	14.7	S12	1/8	17.4	20.5	15.5	
		SPL 04-02	11	9	04	14.7	S14	1/4	17.4	24	20	
		SPL 06-01	8	11	06	16.4	S12	1/8	21.1	21	18.5	
		SPL 06-02	11	11	06	16.4	S14	1/4	21.1	24.5	24	
		SPL 06-03	11	11	06	16.4	S17	3/8	21.1	25	36.5	
		SPL 06-04	14.5	11	06	16.4	S22	1/2	21.1	28.5	50	
		SPL 08-01	8	13.7	08	16.8	S14	1/8	22	23.9	25	
		SPL 08-02	11	13.7	08	16.8	S14	1/4	22	27.4	27.5	
		SPL 08-03	11	13.7	08	16.8	S17	3/8	22	27.9	34	
		SPL 08-04	14.5	13.7	08	16.8	S22	1/2	22	31.4	51	
		SPL 10-01	8	15.5	10	18.4	S17	1/8	24.6	25.5	37.5	
		SPL 10-02	11	15.5	10	18.4	S17	1/4	24.6	28.5	40.5	
		SPL 10-03	11	15.5	10	18.4	S17	3/8	24.6	29	43.5	
		SPL 10-04	14.5	15.5	10	18.4	S22	1/2	24.6	32.5	61.5	
		SPL 12-02	11	18.7	12	19.2	S19	1/4	28.8	30.5	57	
		SPL 12-03	11	18.7	12	19.2	S19	3/8	28.8	31	61	
		SPL 12-04	14.5	18.7	12	19.2	S22	1/2	28.8	34.5	—	
		SPL 12-06	14.5	18.7	12	19.2	S27	3/4	28.8	34.5	—	
		SPL 14-02	11	20.6	14	20	S19	1/4	27.8	30.5	—	
		SPL 14-03	11	20.6	14	20	S19	3/8	27.8	31	—	
		SPL 14-04	14.5	20.6	14	20	S22	1/2	27.8	34.5	—	
		SPL 14-06	14.5	20.6	14	20	S27	3/4	27.8	34.5	—	
		SPL 14-1"	16	20.6	14	20	S34	1"	27.8	37	—	
		SPL 16-03	11	22.6	16	19.7	S22	3/8	34.7	31.5	—	
		SPL 16-04	14.5	22.6	16	19.7	S22	1/2	34.7	35	90.5	
	SPL 16-06	14.5	22.6	16	19.7	S27	3/4	34.7	35	101		
	SPL 16-1"	16	22.6	16	19.7	S34	1"	34.7	37.5	—		

SS One Touch Fitting



Model



SPGJ	Model	L	E1	E2	ΦC1	ΦC2	D1	D2	g	Main Dimension
SPGJ 08-06	35	16.8	16.4	13.7	11	08	06	21		
SPGJ 10-08	36.5	18.4	16.8	15.5	13.7	10	08	26.5		
SPGJ 12-08	37.5	19.2	16.8	18.7	13.7	12	08	37		
SPGJ 12-10	39	19.2	18.4	18.7	15.5	12	10	37.5		
SPGJ 14-10	38.5	20	18.4	20.6	15.5	14	10	40		
SPGJ 14-12	39	20	19.2	20.6	18.7	14	12	42		
SPGJ 16-10	40	19.7	18.4	22.6	15.5	16	10	44.5		
SPGJ 16-12	40	19.7	19.2	22.6	18.7	16	12	—		
SPGJ 16-14	40	19.7	20	22.6	20.6	16	14	54		



SM	Model	B	ΦD	F1	F2	R, N	L	Main Dimension
SM 04-02	11	04	S12	S14	1/4	32.1		
SM 04-03	11	04	S12	S17	1/8	32.6		
SM 06-04	14.5	06	S14	S22	1/2	38		
SM 06-03	11	06	S14	S17	3/8	34		
SM 06-02	11	06	S14	S14	1/4	33.6		
SM 06-01	8	06	S14	S12	1/8	30.6		
SM 08-04	14.5	08	S17	S22	1/2	39		
SM 08-03	11	08	S17	S17	3/8	35		
SM 08-02	11	08	S17	S14	1/4	34.5		
SM 08-01	8	08	S17	S14	1/8	31.5		
SM 10-04	14.5	10	S19	S22	1/2	40.2		
SM 10-03	11	10	S19	S19	3/8	36.2		
SM 10-02	11	10	S19	S19	1/4	36.2		
SM 12-04	14.5	12	S19	S22	1/2	41.9		
SM 12-03	11	12	S22	S19	3/8	38.4		
SM 12-02	11	12	S22	S19	1/4	38.4		



SMC	Model	B	ΦD	F1	F2	R, N	L	Main Dimension
SMC 0403-02	11	04	S10	S14	1/4	25.5		
SMC 0604-01	8	06	S12	S12	1/8	26.5		
SMC 0604-02	11	06	S12	S14	1/4	26.5		
SMC 0604-03	11	06	S12	S17	3/8	30		
SMC 0806-01	8	08	S14	S14	1/8	27.9		
SMC 0806-02	11	08	S14	S14	1/4	30.9		
SMC 0806-03	11	08	S14	S17	3/8	31.4		
SMC 0806-04	14.5	08	S14	S22	1/2	35.5		
SMC 1008-01	8	10	S17	S17	1/8	28.6		
SMC 1008-02	11	10	S17	S17	1/4	31.6		
SMC 1008-03	11	10	S17	S17	3/8	31.6		
SMC 1008-04	14.5	10	S17	S22	1/2	35.6		
SMC 1210-02	11	12	S19	S19	1/4	35		
SMC 1210-03	11	12	S19	S19	3/8	35		
SMC 1210-04	14.5	12	S19	S22	1/2	40		
SMC 1210-06	14.5	12	S19	S27	3/4	40		
SMC 1410-02	11	14	S22	S22	1/4	36.5		
SMC 1410-03	11	14	S22	S22	3/8	36.5		
SMC 1410-04	14.5	14	S22	S22	1/2	40		
SMC 1410-06	14.5	14	S22	S27	3/4	40		
SMC 1612-03	11	16	S22	S22	3/8	33.5		
SMC 1612-04	14.5	16	S22	S22	1/2	37		
SMC 1612-06	14.5	16	S22	S27	3/4	37		



SPW	Model	ΦA	ΦF	C	L	E	2-ΦA1	2-ΦF1	C1	G	B	ΦO	ΦN	Main Dimension
SPW08-06-A	Φ8	Φ13.8	17	40.5	29.3	Φ6	Φ11.8	16.5	15.7	14.9	Φ5.5	Φ3.2		
SPW10-08-A	Φ10	Φ16.5	19	48.6	41.1	Φ8	Φ13.8	17	18.6	21	Φ7	Φ4.2		
SPW12-10-A	Φ12	Φ18.7	20	48.6	41.1	Φ10	Φ16.5	19	18.6	21	Φ7	Φ4.2		
SPW16-12-A	Φ16	Φ23.8	22.5	57	51	Φ12	Φ18.7	20	20	26	Φ8	Φ4.2		



Model

	Model	M	ΦC	ΦD	E	F	H	L	g	Main Dimension 
	SPM 04	M11×1	06	04	14.7	S14	8	33	18	
	SPM 06	M13×1	11	06	16.4	S17	11	36	25.5	
	SPM 08	M15×1	13.7	08	16.8	S17	13	36	32.5	
	SPM 10	M17×1	15.5	10	18.4	S19	16	39	37	
	SPM 12	M20×1	18.7	12	19.2	S22	17	40	53.5	
	SPM 14	M22×1	20.6	14	20	S24	17	40	54.8	
SPM 16	M24×1	22.6	16	19.7	S27	17	41	55.5		

	Model	ΦC	L1	L2	L3	D	CH	g	Main Dimension 
	SSC04-01	04	39	28	7.5	10.5	12	31.5	
	SSC04-02	04	45	30	9.5	10.5	14	46.5	
	SSC06-01	06	39	28	7.5	12.5	12	29.5	
	SSC06-02	06	45	30	9.5	12.5	14	51	
	SSC08-01	08	36	30	7.5	14.5	12	35	
	SSC08-02	08	45	32	9.5	14.5	14	51	
	SSC08-03	08	56	33	10.5	14.5	19	100	
	SSC08-04	08	56	35	12.5	14.5	22	152	
	SSC10-02	10	45	34	9.5	17.5	14	68	
	SSC10-03	10	56	35	10.5	17.5	19	118	
	SSC10-04	10	56	37	12.5	17.5	22	160	
	SSC12-02	12	45	36	9.5	20.5	14	65	
SSC12-03	12	56	38	10.5	20.5	19	108		
SSC12-04	12	56	40	12.5	20.5	22	165		

	型号	ΦC	D1	D1	E	L	H	H1	g	Main Dimension 
	SPGR04-06	9	04	06	14.7	32.8	18	7	9	
	SPGR06-04	11	06	04	16.4	35.7	17.5	5.5		
	SPGR06-08	13.7	06	08	16.4	39.2	21	7		
	SPGR08-06	13.7	08	06	16.8	37.2	18	7		
	SPGR08-10	13.7	08	10	16.8	40.2	21	7		
	SPGR10-08	15.5	10	08	18.4	41.6	21	7		
	SPGR10-12	15.5	10	10	18.4	41.6	21	7		
	SPGR12-10	18.7	12	10	19.2	42	21	7		
	SPGR12-14	18.7	12	14	19.2	42	21	7		
	SPGR14-10	20.6	14	10	20	42.5	21	7		
	SPGR14-12	20.6	14	12	20	42.5	21	7		
	SPGR14-16	20.6	14	16	20	42.5	21	7		
	SPGR16-12	22.6	16	12	19.7	42.6	21	7		
SPGR16-14	22.6	16	14	19.7	42.6	21	7			

	Model	ΦC1	ΦC	ΦD1	ΦD	d	H	E1	E	L	Z	g	Main Dimension 
	SPW06-04	11	09	06	04	4.1	26.6	16.4	14.7	42	12	32.5	
	SPW08-06	13.7	11	08	06	4.1	26.4	16.8	16.4	42.2	14.6	40	
	SPW10-08	15.5	12.7	10	08	4.1	28.4	18.4	16.8	49	16.5	88.5	
	SPW12-10	18.7	15.5	12	10	4.1	29.2	19.2	18.4	54.4	19.7	100	
	SPW14-12	20.6	18.7	14	12	4.1	20	20	19.2	55	23.6	105	
SPW16-14	22.6	20.6	16	14	4.1	19.7	19.7	20	54.8	23.6	166		

	Model	ΦD1	ΦD2	H	L	g	Main Dimension 
	SPPS04	04	06	5.5	28	/	
	SPPS06	06	08	7	33	/	
	SPPS08	08	10	7	36	/	
	SPPS10	10	12	7	38	/	
	SPPS12	12	14	7	40	/	
	SPPS14	14	16	7	42	/	
SPPS16	16	18	7	42	/		

SS One Touch Fitting



Model

SPLC	Model	B	ΦD	F1	F	R, N	L1	L2	g	Main Dimension
SPLC 04-02	11	04	S10	S14	1/4	20.7	26.8			
SPLC 06-01	8	06	S12	S12	1/8	26	23.2			
SPLC 06-02	11	06	S12	S14	1/4	26	26.7			
SPLC 06-03	11	06	S12	S17	3/8	26	27.2			
SPLC 08-01	8	08	S14	S12	1/8	27.5	23.2			
SPLC 08-02	11	08	S14	S14	1/4	27.5	26.7			
SPLC 08-03	11	08	S14	S17	3/8	27.5	27.2			
SPLC 08-04	14.5	08	S14	S22	1/2	27.5	30.7			
SPLC 10-01	8	10	S17	S17	1/8	27.8	24.8			
SPLC 10-02	11	10	S17	S17	1/4	27.8	28.8			
SPLC 10-03	11	10	S17	S17	3/8	27.8	28.8			
SPLC 10-04	14.5	10	S17	S22	1/2	27.8	32.3			
SPLC 12-02	11	12	S19	S17	1/4	30.9	30.8			
SPLC 12-03	11	12	S19	S17	3/8	30.9	30.8			
SPLC 12-04	14.5	12	S19	S22	1/2	30.9	34.2			
SPLC 12-06	14.5	12	S19	S27	3/4	30.9	35.7			
SPLC 14-02	11	14	S22	S19	1/4	32.3	32.1			
SPLC 14-03	11	14	S22	S19	3/8	32.3	32.6			
SPLC 14-04	14.5	14	S22	S22	1/2	32.3	36.1			
SPLC 14-06	14.5	14	S22	S27	3/4	32.3	37.6			
SPLC 16-03	11	16	S22	S19	3/8	32.1	32.6			
SPLC 16-04	14.5	16	S22	S22	1/2	32.1	36.1			
SPLC 16-06	14.5	16	S22	S27	3/4	32.1	37.6			

SPCF	Model	B	ΦC	ΦD	E	F	R, N	L	g	Main Dimension
SPCF04-02	12	9	04	14.7	S17	1/4	29	23		
SPCF06-01	9	11	06	16.4	S12	1/8	27.5	19		
SPCF06-02	12	11	06	16.4	S17	1/4	30.5	23.5		
SPCF06-03	12	11	06	16.4	S19	3/8	30.5	28		
SPCF06-04	15.5	11	06	16.4	S24	1/2	34.5	33		
SPCF08-01	9	13.7	08	16.8	S14	1/8	27.8	23		
SPCF08-02	12	13.7	08	16.8	S17	1/4	30.5	25		
SPCF08-03	12	13.7	08	16.8	S19	3/8	30.5	28		
SPCF08-04	15.5	13.7	08	16.8	S24	1/2	34.5	35		
SPCF10-01	9	15.5	10	18.4	S17	1/8	29.2	38		
SPCF10-02	12	15.5	10	18.4	S17	1/4	32	26		
SPCF10-03	12	15.5	10	18.4	S19	3/8	32	28		
SPCF10-04	15.5	15.5	10	18.4	S24	1/2	36	39.5		
SPCF12-02	12	18.7	12	19.2	S19	1/8	32.5	35		
SPCF12-03	12	18.7	12	19.2	S19	1/4	32.5	31		
SPCF12-04	15.5	18.7	12	19.2	S24	3/8	36.4	42		
SPCF14-02	12	20.6	14	20	S22	1/2	32	64		
SPCF14-03	12	20.6	14	20	S22	1/4	32	60		
SPCF14-04	15.5	20.6	14	20	S24	1/2	36	47		
SPCF16-03	12	22.6	16	19.7	S22	3/8	33	65		
SPCF16-04	15.5	22.6	16	19.7	S22	1/2	37	60		

SPEW	Model	ΦC	ΦC1	ΦD1	ΦD	E1	E	H	L1	L	g	Main Dimension
SPEW08-06	11	13.7	08	06	16.8	16.4	22.1	20.9	41.8	40		
SPEW10-08	13.7	15.5	10	08	18.4	16.8	24.7	22.1	44.2	48.5		
SPEW12-10	15.5	18.7	12	10	19.2	18.4	27.4	24.7	49.4	80		
SPEW14-12	18.7	20.6	14	12	20	19.2	27.5	27.4	54.8	85		
SPEW16-14	20.6	22.6	16	14	19.7	20	35	27.5	55	132		

SPY	Model	ΦC	ΦD	ΦD1	H	E	L	Z	g	Main Dimension
SPY06S1	11	06	4.3	26.5	17.5	41	13.5	29.4		
SPY08S1	13.7	08	4.3	27	16.8	43	19	39.8		
SPY10S1	15.5	10	4.3	32	19.5	49	18.5	56		
SPY12S1	18.7	12	4.3	34.5	21	51.5	21.2	74.8		

-S表示加密封剂